

# CustomAcces

## YAMAHA XV950R '14-

### M O U N T I N G I N S T R U C T I O N S

REF BTM0008

SEMIFAIRING BATWING SML TOURING MODEL



| ID | PIEZA/PART | DESCRIPCIÓN                       | DESCRIPTION                    | QTY | REF             |
|----|------------|-----------------------------------|--------------------------------|-----|-----------------|
| 1  |            | Semicarenado                      | Semifairing                    | 1   | BTMF001N        |
| 2  |            | Cúpula Touring                    | Touring screen                 | 1   | BTMP002         |
| 3  |            | Soporte superior derecho (SR)     | Upper Left support             | 1   | SOP4P3SRBTM0008 |
| 4  |            | Soporte superior izquierdo (SL)   | Upper Right support            | 1   | SOP4P3SLBTM0008 |
| 5  |            | Soporte inferior derecho (IR)     | Lower Left support             | 1   | SOP4P3IRBTM0008 |
| 6  |            | Soporte inferior izquierdo (IL)   | Lower Right support            | 1   | SOP4P3ILBTM0008 |
| 7  |            | Tornillo Allen M8x45 DIN912       | M8x45 DIN912 screw             | 2   | TORNI-AD912-508 |
| 8  |            | Casquillo Ø8x Ø13x 15             | Ø8x Ø13x 15 spacer             | 2   | CASQUI-M----614 |
| 9  |            | Silentblock M5                    | M5 silentblock                 | 4   | SILENBTM5-046/1 |
| 10 |            | Arandela nylon M5x1               | M5x1 nylon washer              | 4   | ARNV00000000245 |
| 11 |            | Tornillo Allen M5x16 Ø11 ISO 7380 | M5x16 Ø11 ISO 7380 Allen screw | 4   | TORNI-I7380-493 |
| 12 |            | Tapón tornillo M5 ISO 7380        | M5 ISO 7380 screw cap          | 4   | TAPON-----85    |
| 13 |            | Tornillo Allen M4x12 ISO7380      | M4x12 ISO 7380 Allen screw     | 3   | TORNI-I7380-800 |
| 14 |            | Arandela nylon M4                 | M4 nylon washer                | 6   | ARNV00000000311 |
| 15 |            | Tuerca autoblocante M4            | M4 lock nut                    | 3   | TUERCAE985-0290 |
| 16 |            | Tapón tuerca M4                   | M4 cap nut                     | 3   | TAPON-----91    |


# CustomAcces

## YAMAHA XV950R '14-

### INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

1

DISASSEMBLY  
DESMONTAJE




B PIEZA ORIGINAL  
ORIGINAL PART

B Para facilitar el desmontaje/montaje del tornillo B se recomienda utilizar un alargo flexible.  
To facilitate the disassembly or assembly of the B screw it is recommended to use a flexible extension.


2

ASSEMBLY  
MONTAJE



3


ASSEMBLY  
MONTAJE



7 Par de apriete - 19 Nm  
Tightening torque - 19Nm

4

ASSEMBLY  
MONTAJE




# CustomAcces

## YAMAHA XV950R '14-

### INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG


5

DISASSEMBLY  
DESMONTAJE




6

ASSEMBLY  
MONTAJE




7

ASSEMBLY  
MONTAJE



8

ASSEMBLY  
MONTAJE




## YAMAHA XV950R '14-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

9

ASSEMBLY  
MONTAJE



10

ASSEMBLY  
MONTAJE

